



This is “Appendix E: Standard Reduction Potentials at 25°C”, appendix 5 from the book [Principles of General Chemistry \(index.html\)](#) (v. 1.0M).

This book is licensed under a [Creative Commons by-nc-sa 3.0](http://creativecommons.org/licenses/by-nc-sa/3.0/) license. See the license for more details, but that basically means you can share this book as long as you credit the author (but see below), don't make money from it, and do make it available to everyone else under the same terms.

This content was accessible as of December 29, 2012, and it was downloaded then by [Andy Schmitz](#) (<http://lardbucket.org>) in an effort to preserve the availability of this book.

Normally, the author and publisher would be credited here. However, the publisher has asked for the customary Creative Commons attribution to the original publisher, authors, title, and book URI to be removed. Additionally, per the publisher's request, their name has been removed in some passages. More information is available on this project's [attribution page](http://2012books.lardbucket.org/attribution.html?utm_source=header).

For more information on the source of this book, or why it is available for free, please see [the project's home page](#) (<http://2012books.lardbucket.org/>). You can browse or download additional books there.

Chapter 29

Appendix E: Standard Reduction Potentials at 25°C

Half-Reaction	E° (V)
$\text{Ac}^{3+} + 3\text{e}^{-} \rightarrow \text{Ac}$	-2.20
$\text{Ag}^{+} + \text{e}^{-} \rightarrow \text{Ag}$	0.7996
$\text{AgBr} + \text{e}^{-} \rightarrow \text{Ag} + \text{Br}^{-}$	0.07133
$\text{AgCl} + \text{e}^{-} \rightarrow \text{Ag} + \text{Cl}^{-}$	0.22233
$\text{Ag}_2\text{CrO}_4 + 2\text{e}^{-} \rightarrow 2\text{Ag} + \text{CrO}_4^{2-}$	0.4470
$\text{AgI} + \text{e}^{-} \rightarrow \text{Ag} + \text{I}^{-}$	-0.15224
$\text{Ag}_2\text{S} + 2\text{e}^{-} \rightarrow 2\text{Ag} + \text{S}^{2-}$	-0.691
$\text{Ag}_2\text{S} + 2\text{H}^{+} + 2\text{e}^{-} \rightarrow 2\text{Ag} + \text{H}_2\text{S}$	-0.0366
$\text{AgSCN} + \text{e}^{-} \rightarrow \text{Ag} + \text{SCN}^{-}$	0.08951
$\text{Al}^{3+} + 3\text{e}^{-} \rightarrow \text{Al}$	-1.662
$\text{Al}(\text{OH})_4^{-} + 3\text{e}^{-} \rightarrow \text{Al} + 4\text{OH}^{-}$	-2.328
$\text{Am}^{3+} + 3\text{e}^{-} \rightarrow \text{Am}$	-2.048
$\text{As} + 3\text{H}^{+} + 3\text{e}^{-} \rightarrow \text{AsH}_3$	-0.608
$\text{H}_3\text{AsO}_4 + 2\text{H}^{+} + 2\text{e}^{-} \rightarrow \text{HAsO}_2 + 2\text{H}_2\text{O}$	0.560
$\text{Au}^{+} + \text{e}^{-} \rightarrow \text{Au}$	1.692
$\text{Au}^{3+} + 3\text{e}^{-} \rightarrow \text{Au}$	1.498
$\text{H}_3\text{BO}_3 + 3\text{H}^{+} + 3\text{e}^{-} \rightarrow \text{B} + 3\text{H}_2\text{O}$	-0.8698
$\text{Ba}^{2+} + 2\text{e}^{-} \rightarrow \text{Ba}$	-2.912
$\text{Be}^{2+} + 2\text{e}^{-} \rightarrow \text{Be}$	-1.847
$\text{Bi}^{3+} + 3\text{e}^{-} \rightarrow \text{Bi}$	0.308
$\text{BiO}^{+} + 2\text{H}^{+} + 3\text{e}^{-} \rightarrow \text{Bi} + \text{H}_2\text{O}$	0.320
$\text{Br}_2(\text{aq}) + 2\text{e}^{-} \rightarrow 2\text{Br}^{-}$	1.0873
$\text{Br}_2(\text{l}) + 2\text{e}^{-} \rightarrow 2\text{Br}^{-}$	1.066
$\text{BrO}_3^{-} + 6\text{H}^{+} + 5\text{e}^{-} \rightarrow \frac{1}{2}\text{Br}_2 + 3\text{H}_2\text{O}$	1.482

Chapter 29 Appendix E: Standard Reduction Potentials at 25°C

Half-Reaction	E° (V)
$\text{BrO}_3^- + 6\text{H}^+ + 6\text{e}^- \rightarrow \text{Br}^- + 3\text{H}_2\text{O}$	1.423
$\text{CO}_2 + 2\text{H}^+ + 2\text{e}^- \rightarrow \text{HCO}_2\text{H}$	-0.199
$\text{Ca}^{2+} + 2\text{e}^- \rightarrow \text{Ca}$	-2.868
$\text{Ca}(\text{OH})_2 + 2\text{e}^- \rightarrow \text{Ca} + 2\text{OH}^-$	-3.02
$\text{Cd}^{2+} + 2\text{e}^- \rightarrow \text{Cd}$	-0.4030
$\text{CdSO}_4 + 2\text{e}^- \rightarrow \text{Cd} + \text{SO}_4^{2-}$	-0.246
$\text{Cd}(\text{OH})_4^{2-} + 2\text{e}^- \rightarrow \text{Cd} + 4\text{OH}^-$	-0.658
$\text{Ce}^{3+} + 3\text{e}^- \rightarrow \text{Ce}$	-2.336
$\text{Ce}^{4+} + \text{e}^- \rightarrow \text{Ce}^{3+}$	1.72
$\text{Cl}_2(\text{g}) + 2\text{e}^- \rightarrow 2\text{Cl}^-$	1.35827
$\text{HClO} + \text{H}^+ + \text{e}^- \rightarrow \frac{1}{2}\text{Cl}_2 + \text{H}_2\text{O}$	1.611
$\text{HClO} + \text{H}^+ + 2\text{e}^- \rightarrow \text{Cl}^- + \text{H}_2\text{O}$	1.482
$\text{ClO}^- + \text{H}_2\text{O} + 2\text{e}^- \rightarrow \text{Cl}^- + 2\text{OH}^-$	0.81
$\text{ClO}_3^- + 6\text{H}^+ + 5\text{e}^- \rightarrow \frac{1}{2}\text{Cl}_2 + 3\text{H}_2\text{O}$	1.47
$\text{ClO}_3^- + 6\text{H}^+ + 6\text{e}^- \rightarrow \text{Cl}^- + 3\text{H}_2\text{O}$	1.451
$\text{ClO}_4^- + 8\text{H}^+ + 7\text{e}^- \rightarrow \frac{1}{2}\text{Cl}_2 + 4\text{H}_2\text{O}$	1.39
$\text{ClO}_4^- + 8\text{H}^+ + 8\text{e}^- \rightarrow \text{Cl}^- + 4\text{H}_2\text{O}$	1.389
$\text{Co}^{2+} + 2\text{e}^- \rightarrow \text{Co}$	-0.28
$\text{Co}^{3+} + \text{e}^- \rightarrow \text{Co}^{2+}$	1.92
$\text{Cr}^{2+} + 2\text{e}^- \rightarrow \text{Cr}$	-0.913
$\text{Cr}^{3+} + \text{e}^- \rightarrow \text{Cr}^{2+}$	-0.407
$\text{Cr}^{3+} + 3\text{e}^- \rightarrow \text{Cr}$	-0.744
$\text{Cr}_2\text{O}_7^{2-} + 14\text{H}^+ + 6\text{e}^- \rightarrow 2\text{Cr}^{3+} + 7\text{H}_2\text{O}$	1.232
$\text{CrO}_4^{2-} + 4\text{H}_2\text{O} + 3\text{e}^- \rightarrow \text{Cr}(\text{OH})_3 + 5\text{OH}^-$	-0.13
$\text{Cs}^+ + \text{e}^- \rightarrow \text{Cs}$	-3.026
$\text{Cu}^+ + \text{e}^- \rightarrow \text{Cu}$	0.521
$\text{Cu}^{2+} + \text{e}^- \rightarrow \text{Cu}^+$	0.153
$\text{Cu}^{2+} + 2\text{e}^- \rightarrow \text{Cu}$	0.3419

Chapter 29 Appendix E: Standard Reduction Potentials at 25°C

Half-Reaction	E° (V)
$\text{CuI}_2^- + e^- \rightarrow \text{Cu} + 2\text{I}^-$	0.00
$\text{Cu}_2\text{O} + \text{H}_2\text{O} + 2e^- \rightarrow 2\text{Cu} + 2\text{OH}^-$	-0.360
$\text{Dy}^{3+} + 3e^- \rightarrow \text{Dy}$	-2.295
$\text{Er}^{3+} + 3e^- \rightarrow \text{Er}$	-2.331
$\text{Es}^{3+} + 3e^- \rightarrow \text{Es}$	-1.91
$\text{Eu}^{2+} + 2e^- \rightarrow \text{Eu}$	-2.812
$\text{Eu}^{3+} + 3e^- \rightarrow \text{Eu}$	-1.991
$\text{F}_2 + 2e^- \rightarrow 2\text{F}^-$	2.866
$\text{Fe}^{2+} + 2e^- \rightarrow \text{Fe}$	-0.447
$\text{Fe}^{3+} + 3e^- \rightarrow \text{Fe}$	-0.037
$\text{Fe}^{3+} + e^- \rightarrow \text{Fe}^{2+}$	0.771
$[\text{Fe}(\text{CN})_6]^{3-} + e^- \rightarrow [\text{Fe}(\text{CN})_6]^{4-}$	0.358
$\text{Fe}(\text{OH})_3 + e^- \rightarrow \text{Fe}(\text{OH})_2 + \text{OH}^-$	-0.56
$\text{Fm}^{3+} + 3e^- \rightarrow \text{Fm}$	-1.89
$\text{Fm}^{2+} + 2e^- \rightarrow \text{Fm}$	-2.30
$\text{Ga}^{3+} + 3e^- \rightarrow \text{Ga}$	-0.549
$\text{Gd}^{3+} + 3e^- \rightarrow \text{Gd}$	-2.279
$\text{Ge}^{2+} + 2e^- \rightarrow \text{Ge}$	0.24
$\text{Ge}^{4+} + 4e^- \rightarrow \text{Ge}$	0.124
$2\text{H}^+ + 2e^- \rightarrow \text{H}_2$	0.00000
$\text{H}_2 + 2e^- \rightarrow 2\text{H}^-$	-2.23
$2\text{H}_2\text{O} + 2e^- \rightarrow \text{H}_2 + 2\text{OH}^-$	-0.8277
$\text{H}_2\text{O}_2 + 2\text{H}^+ + 2e^- \rightarrow 2\text{H}_2\text{O}$	1.776
$\text{Hf}^{4+} + 4e^- \rightarrow \text{Hf}$	-1.55
$\text{Hg}^{2+} + 2e^- \rightarrow \text{Hg}$	0.851
$2\text{Hg}^{2+} + 2e^- \rightarrow \text{Hg}_2^{2+}$	0.920
$\text{Hg}_2\text{Cl}_2 + 2e^- \rightarrow 2\text{Hg} + 2\text{Cl}^-$	0.26808
$\text{Ho}^{2+} + 2e^- \rightarrow \text{Ho}$	-2.1
$\text{Ho}^{3+} + 3e^- \rightarrow \text{Ho}$	-2.33

Chapter 29 Appendix E: Standard Reduction Potentials at 25°C

Half-Reaction	E° (V)
$I_2 + 2e^- \rightarrow 2I^-$	0.5355
$I_3^- + 2e^- \rightarrow 3I^-$	0.536
$2IO_3^- + 12H^+ + 10e^- \rightarrow I_2 + 6H_2O$	1.195
$IO_3^- + 6H^+ + 6e^- \rightarrow I^- + 3H_2O$	1.085
$In^+ + e^- \rightarrow In$	-0.14
$In^{3+} + 2e^- \rightarrow In^+$	-0.443
$In^{3+} + 3e^- \rightarrow In$	-0.3382
$Ir^{3+} + 3e^- \rightarrow Ir$	1.156
$K^+ + e^- \rightarrow K$	-2.931
$La^{3+} + 3e^- \rightarrow La$	-2.379
$Li^+ + e^- \rightarrow Li$	-3.0401
$Lr^{3+} + 3e^- \rightarrow Lr$	-1.96
$Lu^{3+} + 3e^- \rightarrow Lu$	-2.28
$Md^{3+} + 3e^- \rightarrow Md$	-1.65
$Md^{2+} + 2e^- \rightarrow Md$	-2.40
$Mg^{2+} + 2e^- \rightarrow Mg$	-2.372
$Mn^{2+} + 2e^- \rightarrow Mn$	-1.185
$MnO_2 + 4H^+ + 2e^- \rightarrow Mn^{2+} + 2H_2O$	1.224
$MnO_4^- + 8H^+ + 5e^- \rightarrow Mn^{2+} + 4H_2O$	1.507
$MnO_4^- + 2H_2O + 3e^- \rightarrow MnO_2 + 4OH^-$	0.595
$Mo^{3+} + 3e^- \rightarrow Mo$	-0.200
$N_2 + 2H_2O + 6H^+ + 6e^- \rightarrow 2NH_4OH$	0.092
$HNO_2 + H^+ + e^- \rightarrow NO + H_2O$	0.983
$NO_3^- + 4H^+ + 3e^- \rightarrow NO + 2H_2O$	0.957
$Na^+ + e^- \rightarrow Na$	-2.71
$Nb^{3+} + 3e^- \rightarrow Nb$	-1.099
$Nd^{3+} + 3e^- \rightarrow Nd$	-2.323
$Ni^{2+} + 2e^- \rightarrow Ni$	-0.257
$No^{3+} + 3e^- \rightarrow No$	-1.20

Chapter 29 Appendix E: Standard Reduction Potentials at 25°C

Half-Reaction	E° (V)
$\text{No}^{2+} + 2\text{e}^{-} \rightarrow \text{No}$	-2.50
$\text{Np}^{3+} + 3\text{e}^{-} \rightarrow \text{Np}$	-1.856
$\text{O}_2 + 2\text{H}^{+} + 2\text{e}^{-} \rightarrow \text{H}_2\text{O}_2$	0.695
$\text{O}_2 + 4\text{H}^{+} + 4\text{e}^{-} \rightarrow 2\text{H}_2\text{O}$	1.229
$\text{O}_2 + 2\text{H}_2\text{O} + 2\text{e}^{-} \rightarrow \text{H}_2\text{O}_2 + 2\text{OH}^{-}$	-0.146
$\text{O}_3 + 2\text{H}^{+} + 2\text{e}^{-} \rightarrow \text{O}_2 + \text{H}_2\text{O}$	2.076
$\text{OsO}_4 + 8\text{H}^{+} + 8\text{e}^{-} \rightarrow \text{Os} + 4\text{H}_2\text{O}$	0.838
$\text{P} + 3\text{H}_2\text{O} + 3\text{e}^{-} \rightarrow \text{PH}_3(\text{g}) + 3\text{OH}^{-}$	-0.87
$\text{PO}_4^{3-} + 2\text{H}_2\text{O} + 2\text{e}^{-} \rightarrow \text{HPO}_3^{2-} + 3\text{OH}^{-}$	-1.05
$\text{Pa}^{3+} + 3\text{e}^{-} \rightarrow \text{Pa}$	-1.34
$\text{Pa}^{4+} + 4\text{e}^{-} \rightarrow \text{Pa}$	-1.49
$\text{Pb}^{2+} + 2\text{e}^{-} \rightarrow \text{Pb}$	-0.1262
$\text{PbO} + \text{H}_2\text{O} + 2\text{e}^{-} \rightarrow \text{Pb} + 2\text{OH}^{-}$	-0.580
$\text{PbO}_2 + \text{SO}_4^{2-} + 4\text{H}^{+} + 2\text{e}^{-} \rightarrow \text{PbSO}_4 + 2\text{H}_2\text{O}$	1.6913
$\text{PbSO}_4 + 2\text{e}^{-} \rightarrow \text{Pb} + \text{SO}_4^{2-}$	-0.3588
$\text{Pd}^{2+} + 2\text{e}^{-} \rightarrow \text{Pd}$	0.951
$\text{Pm}^{3+} + 3\text{e}^{-} \rightarrow \text{Pm}$	-2.30
$\text{Po}^{4+} + 4\text{e}^{-} \rightarrow \text{Po}$	0.76
$\text{Pr}^{3+} + 3\text{e}^{-} \rightarrow \text{Pr}$	-2.353
$\text{Pt}^{2+} + 2\text{e}^{-} \rightarrow \text{Pt}$	1.18
$[\text{PtCl}_4]^{2-} + 2\text{e}^{-} \rightarrow \text{Pt} + 4\text{Cl}^{-}$	0.755
$\text{Pu}^{3+} + 3\text{e}^{-} \rightarrow \text{Pu}$	-2.031
$\text{Ra}^{2+} + 2\text{e}^{-} \rightarrow \text{Ra}$	-2.8
$\text{Rb}^{+} + \text{e}^{-} \rightarrow \text{Rb}$	-2.98
$\text{Re}^{3+} + 3\text{e}^{-} \rightarrow \text{Re}$	0.300
$\text{Rh}^{3+} + 3\text{e}^{-} \rightarrow \text{Rh}$	0.758
$\text{Ru}^{3+} + \text{e}^{-} \rightarrow \text{Ru}^{2+}$	0.2487
$\text{S} + 2\text{e}^{-} \rightarrow \text{S}^{2-}$	-0.47627
$\text{S} + 2\text{H}^{+} + 2\text{e}^{-} \rightarrow \text{H}_2\text{S}(\text{aq})$	0.142

Chapter 29 Appendix E: Standard Reduction Potentials at 25°C

Half-Reaction	E° (V)
$2S + 2e^- \rightarrow S_2^{2-}$	-0.42836
$H_2SO_3 + 4H^+ + 4e^- \rightarrow S + 3H_2O$	0.449
$SO_4^{2-} + H_2O + 2e^- \rightarrow SO_3^{2-} + 2OH^-$	-0.93
$Sb + 3H^+ + 3e^- \rightarrow SbH_3$	-0.510
$Sc^{3+} + 3e^- \rightarrow Sc$	-2.077
$Se + 2e^- \rightarrow Se^{2-}$	-0.924
$Se + 2H^+ + 2e^- \rightarrow H_2Se$	-0.082
$SiF_6^{2-} + 4e^- \rightarrow Si + 6F^-$	-1.24
$Sm^{3+} + 3e^- \rightarrow Sm$	-2.304
$Sn^{2+} + 2e^- \rightarrow Sn$	-0.1375
$Sn^{4+} + 2e^- \rightarrow Sn^{2+}$	0.151
$Sr^{2+} + 2e^- \rightarrow Sr$	-2.899
$Ta^{3+} + 3e^- \rightarrow Ta$	-0.6
$TcO_4^- + 4H^+ + 3e^- \rightarrow TcO_2 + 2H_2O$	0.782
$TcO_4^- + 8H^+ + 7e^- \rightarrow Tc + 4H_2O$	0.472
$Tb^{3+} + 3e^- \rightarrow Tb$	-2.28
$Te + 2e^- \rightarrow Te^{2-}$	-1.143
$Te^{4+} + 4e^- \rightarrow Te$	0.568
$Th^{4+} + 4e^- \rightarrow Th$	-1.899
$Ti^{2+} + 2e^- \rightarrow Ti$	-1.630
$Tl^+ + e^- \rightarrow Tl$	-0.336
$Tl^{3+} + 2e^- \rightarrow Tl^+$	1.252
$Tl^{3+} + 3e^- \rightarrow Tl$	0.741
$Tm^{3+} + 3e^- \rightarrow Tm$	-2.319
$U^{3+} + 3e^- \rightarrow U$	-1.798
$VO_2^+ + 2H^+ + e^- \rightarrow VO^{2+} + H_2O$	0.991
$V_2O_5 + 6H^+ + 2e^- \rightarrow 2VO^{2+} + 3H_2O$	0.957
$W_2O_5 + 2H^+ + 2e^- \rightarrow 2WO_2 + H_2O$	-0.031
$XeO_3 + 6H^+ + 6e^- \rightarrow Xe + 3H_2O$	2.10

Chapter 29 Appendix E: Standard Reduction Potentials at 25°C

Half-Reaction	E° (V)
$\text{Y}^{3+} + 3\text{e}^{-} \rightarrow \text{Y}$	-2.372
$\text{Yb}^{3+} + 3\text{e}^{-} \rightarrow \text{Yb}$	-2.19
$\text{Zn}^{2+} + 2\text{e}^{-} \rightarrow \text{Zn}$	-0.7618
$\text{Zn}(\text{OH})_4^{2-} + 2\text{e}^{-} \rightarrow \text{Zn} + 4\text{OH}^{-}$	-1.199
$\text{Zn}(\text{OH})_2 + 2\text{e}^{-} \rightarrow \text{Zn} + 2\text{OH}^{-}$	-1.249
$\text{ZrO}_2 + 4\text{H}^{+} + 4\text{e}^{-} \rightarrow \text{Zr} + 2\text{H}_2\text{O}$	-1.553
$\text{Zr}^{4+} + 4\text{e}^{-} \rightarrow \text{Zr}$	-1.45

Source of data: CRC Handbook of Chemistry and Physics, 84th Edition (2004).